






# Sub-assembly Parts List				
DWG FILES TO BE FURNISHED FOR ALL PARTS				
Page Number	#	Qty.	Description	Material
	OS	1	Outside Steel Stringer Subassembly	
02	OS1	1	Outside Stringer/Inner Plate	12mm Cold Rolled Steel
06	OS2	1	Outside Stringer/Outer Plate	12mm Cold Rolled Steel
08	OS3	1	Outside Stringer Infill	6mm Cold Rolled Steel
03	IS	1	Inside Steel Stringer Subassembly	
03	IS1	1	Inside Stringer/Inner Plate	12mm Cold Rolled Steel
07	IS2	1	Inside Stringer/Outer Plate	12mm Cold Rolled Steel
09	IS3	1	Inside Stringer Infill	6mm Cold Rolled Steel
04	TB02	1	Tread #02→Stringer Blocking	6mm Cold Rolled Steel
04	TB03	7	Tread #03-06 & 18-20→Stringer Blocking	6mm Cold Rolled Steel
04	TB07	1	Tread #07→Stringer Blocking	6mm Cold Rolled Steel
04	TB08	1	Tread #08→Stringer Blocking	6mm Cold Rolled Steel
04	TB09	1	Tread #09→Stringer Blocking	6mm Cold Rolled Steel
04	TB10	1	Tread #10→Stringer Blocking	6mm Cold Rolled Steel
04	TB11	1	Tread #11→Stringer Blocking	6mm Cold Rolled Steel
04	TB12	1	Tread #12→Stringer Blocking	6mm Cold Rolled Steel
04	TB13	1	Tread #13→Stringer Blocking	6mm Cold Rolled Steel
04	TB14	1	Tread #14→Stringer Blocking	6mm Cold Rolled Steel
04	TB15	1	Tread #15→Stringer Blocking	6mm Cold Rolled Steel
04	TB16	1	Tread #16→Stringer Blocking	6mm Cold Rolled Steel
04	TB17	1	Tread #17→Stringer Blocking	6mm Cold Rolled Steel
04	TB21	1	Tread #21→Stringer Blocking	6mm Cold Rolled Steel
04	TB22	1	Tread #22→Stringer Blocking	6mm Cold Rolled Steel
04	TB23	1	Tread #23→Stringer Blocking	6mm Cold Rolled Steel
04	TB24	1	Tread #24→Stringer Blocking	6mm Cold Rolled Steel
05	T02	1	Tread #02	6mm Cold Rolled Steel
05	T03	7	Tread #03-06 & 18-20	6mm Cold Rolled Steel
05	T07	1	Tread #07	6mm Cold Rolled Steel
05	T08	1	Tread #08	6mm Cold Rolled Steel
05	T09	1	Tread #09	6mm Cold Rolled Steel
05	T10	1	Tread #10	6mm Cold Rolled Steel
05	T11	1	Tread #11	6mm Cold Rolled Steel
05	T12.1	1	Tread #12.1	6mm Cold Rolled Steel
05	T12.2	1	Tread #12.2	6mm Cold Rolled Steel
05	T12.3	1	Tread #12.3	6mm Cold Rolled Steel
05	T13	1	Tread #13	6mm Cold Rolled Steel
05	T14	1	Tread #14	6mm Cold Rolled Steel
05	T15	1	Tread #15	6mm Cold Rolled Steel
05	T16	1	Tread #16	6mm Cold Rolled Steel
05	T17	1	Tread #17	6mm Cold Rolled Steel
05	T21	1	Tread #21	6mm Cold Rolled Steel
05	T22	1	Tread #22	6mm Cold Rolled Steel
05	T23	1	Tread #23	6mm Cold Rolled Steel
05	T24	1	Tread #24	6mm Cold Rolled Steel
10	OGS	1	Outside Glass Balustrade Assembly	12.5mm Toughened & Laminated Low Iron Glass
11	IGB	1	Inside Glass Balustrade Assembly	12.5mm Toughened & Laminated Low Iron Glass
12	SL1	1	Lower Stringer Support Leg	Steel
12	SL2	1	Upper Stringer Support Leg	Steel



Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-01

(of 12 sheets)

Revision

D

Drawing Title

Steel Stair

Subassembly Breakdown

Date

8/2/23

Drawn By

RC

Page Size



A1

Drawings generated in SolidWorks® by Shoreline Parametrics

+44 (0)19 535006 (UK)

+01 (603) 651-0891 (US)

info@shorelineparametrics.com



Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-02

(of 12 sheets)

Revision

D

Drawing Title

Part #OS1

OUTSIDE STRINGER

Date

8/2/23

Drawn By

RC

Page Size


A1

Drawings generated in SolidWorks® by Shoreline Parametrics

+44 (0)179 835006 (UK)

+01 (603) 651-0891 (US)

info@shorelineparametrics.com



Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-03

Revision

D

Drawing Title

Part #IS1

INSIDE STRINGER

Date

8/2/23


Drawn By

RC

Page Size

A1

Drawings generated in SolidWorks® by Shoreline Parametrics
+44 (0)179 835006 (UK)
+01 (603) 651-0891 (US)
info@shorelineparametrics.com



#	Qty.	Description	Material
Tread #02			
T02	1		
T02a	1	Tread Top	6mm Cold Rolled Steel
T02b	1	Tread Bottom	6mm Cold Rolled Steel
T02c	1	Tread Front	6mm Cold Rolled Steel
T02d	1	Tread Middle Rib	6mm Cold Rolled Steel
T02e	1	Tread Rear	6mm Cold Rolled Steel
T02f	1	Tread Outside End	6mm Cold Rolled Steel
T02g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #03-06 & 18-20			
T03	7		
T03a	7	Tread Top	6mm Cold Rolled Steel
T03b	7	Tread Bottom	6mm Cold Rolled Steel
T03c	14	Tread Front & Back	6mm Cold Rolled Steel
T03d	7	Tread Middle Rib	6mm Cold Rolled Steel
T03f	7	Tread Outside End	6mm Cold Rolled Steel
T03g	7	Tread Inside End	6mm Cold Rolled Steel
Tread #07			
T07	1		
T07a	1	Tread Top	6mm Cold Rolled Steel
T07b	1	Tread Bottom	6mm Cold Rolled Steel
T07c	1	Tread Front	6mm Cold Rolled Steel
T07d	1	Tread Middle Rib	6mm Cold Rolled Steel
T07e	1	Tread Rear	6mm Cold Rolled Steel
T07f	1	Tread Outside End	6mm Cold Rolled Steel
T07g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #08			
T08	1		
T08a	1	Tread Top	6mm Cold Rolled Steel
T08b	1	Tread Bottom	6mm Cold Rolled Steel
T08c	1	Tread Front	6mm Cold Rolled Steel
T08d	1	Tread Middle Rib	6mm Cold Rolled Steel
T08e	1	Tread Rear	6mm Cold Rolled Steel
T08f	1	Tread Outside End	6mm Cold Rolled Steel
T08g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #09			
T09	1		
T09a	1	Tread Top	6mm Cold Rolled Steel
T09b	1	Tread Bottom	6mm Cold Rolled Steel
T09c	1	Tread Front	6mm Cold Rolled Steel
T09d	1	Tread Middle Rib	6mm Cold Rolled Steel
T09e	1	Tread Rear	6mm Cold Rolled Steel
T09f	1	Tread Outside End	6mm Cold Rolled Steel
T09g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #10			
T10	1		
T10a	1	Tread Top	6mm Cold Rolled Steel
T10b	1	Tread Bottom	6mm Cold Rolled Steel
T10c	1	Tread Front	6mm Cold Rolled Steel
T10d	1	Tread Middle Rib	6mm Cold Rolled Steel
T10e	1	Tread Rear	6mm Cold Rolled Steel
T10f	1	Tread Outside End	6mm Cold Rolled Steel
T10g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #11			
T11	1		
T11a	1	Tread Top	6mm Cold Rolled Steel
T11b	1	Tread Bottom	6mm Cold Rolled Steel
T11c	1	Tread Front	6mm Cold Rolled Steel
T11d	1	Tread Middle Rib	6mm Cold Rolled Steel
T11e	1	Tread Rear	6mm Cold Rolled Steel
T11f	1	Tread Outside End	6mm Cold Rolled Steel
T11g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #12.1			
T12.1	1		
T12a.1	1	Tread Top-1	6mm Cold Rolled Steel
T12b.1	1	Tread Bottom-1	6mm Cold Rolled Steel
T12c.1	1	Tread Front-1	6mm Cold Rolled Steel
T12d.1	1	Tread Middle Rib-1	6mm Cold Rolled Steel
T12e.1	1	Tread Rear-1	6mm Cold Rolled Steel
T12f.1	1	Tread Outside End-1	6mm Cold Rolled Steel
T12g.1	1	Tread Inside End-1	6mm Cold Rolled Steel
Tread #12.2			
T12.2	1		
T12a.2	1	Tread Top-2	6mm Cold Rolled Steel
T12b.2	1	Tread Bottom-2	6mm Cold Rolled Steel
T12c.2	1	Tread Front-2	6mm Cold Rolled Steel
T12d.2	1	Tread Middle Rib-2	6mm Cold Rolled Steel
T12e.2	1	Tread Rear-2	6mm Cold Rolled Steel
T12f.2	1	Tread Outside End-2	6mm Cold Rolled Steel
T12g.2	1	Tread Inside End-2	6mm Cold Rolled Steel
Tread #12.3			
T12.3	1		
T12a.3	1	Tread Top-3	6mm Cold Rolled Steel
T12b.3	1	Tread Bottom-3	6mm Cold Rolled Steel
T12c.3	1	Tread Front-3	6mm Cold Rolled Steel
T12d.3	1	Tread Middle Rib-3	6mm Cold Rolled Steel
T12e.3	1	Tread Rear-3	6mm Cold Rolled Steel
T12f.3	1	Tread Outside End-3	6mm Cold Rolled Steel
T12g.3	1	Tread Inside End-3	6mm Cold Rolled Steel
Tread #13			
T13	1		
T13a	1	Tread Top	6mm Cold Rolled Steel
T13b	1	Tread Bottom	6mm Cold Rolled Steel
T13c	1	Tread Front	6mm Cold Rolled Steel
T13d	1	Tread Middle Rib	6mm Cold Rolled Steel
T13e	1	Tread Rear	6mm Cold Rolled Steel
T13f	1	Tread Outside End	6mm Cold Rolled Steel
T13g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #14			
T14	1		
T14a	1	Tread Top	6mm Cold Rolled Steel
T14b	1	Tread Bottom	6mm Cold Rolled Steel
T14c	1	Tread Front	6mm Cold Rolled Steel
T14d	1	Tread Middle Rib	6mm Cold Rolled Steel
T14e	1	Tread Rear	6mm Cold Rolled Steel
T14f	1	Tread Outside End	6mm Cold Rolled Steel
T14g	1	Tread Inside End	6mm Cold Rolled Steel

#	Qty.	Description	Material
Tread #15			
T15	1		
T15b	1	Tread Bottom	6mm Cold Rolled Steel
T15a	1	Tread Top	6mm Cold Rolled Steel
T15c	1	Tread Front	6mm Cold Rolled Steel
T15d	1	Tread Middle Rib	6mm Cold Rolled Steel
T15e	1	Tread Rear	6mm Cold Rolled Steel
T15f	1	Tread Outside End	6mm Cold Rolled Steel
T15g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #16			
T16	1		
T16a	1	Tread Top	6mm Cold Rolled Steel
T16b	1	Tread Bottom	6mm Cold Rolled Steel
T16c	1	Tread Front	6mm Cold Rolled Steel
T16d	1	Tread Middle Rib	6mm Cold Rolled Steel
T16e	1	Tread Rear	6mm Cold Rolled Steel
T16f	1	Tread Outside End	6mm Cold Rolled Steel
T16g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #17			
T17	1		
T17a	1	Tread Top	6mm Cold Rolled Steel
T17b	1	Tread Bottom	6mm Cold Rolled Steel
T17c	1	Tread Front	6mm Cold Rolled Steel
T17d	1	Tread Middle Rib	6mm Cold Rolled Steel
T17e	1	Tread Rear	6mm Cold Rolled Steel
T17f	1	Tread Outside End	6mm Cold Rolled Steel
T17g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #21			
T21	1		
T21a	1	Tread Top	6mm Cold Rolled Steel
T21b	1	Tread Bottom	6mm Cold Rolled Steel
T21c	1	Tread Front	6mm Cold Rolled Steel
T21d	1	Tread Middle Rib	6mm Cold Rolled Steel
T21e	1	Tread Rear	6mm Cold Rolled Steel
T21f	1	Tread Outside End	6mm Cold Rolled Steel
T21g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #22			
T22	1		
T22a	1	Tread Top	6mm Cold Rolled Steel
T22b	1	Tread Bottom	6mm Cold Rolled Steel
T22c	1	Tread Front	6mm Cold Rolled Steel
T22d	1	Tread Middle Rib	6mm Cold Rolled Steel
T22e	1	Tread Rear	6mm Cold Rolled Steel
T22f	1	Tread Outside End	6mm Cold Rolled Steel
T22g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #23			
T23	1		
T23a	1	Tread Top	6mm Cold Rolled Steel
T23b	1	Tread Bottom	6mm Cold Rolled Steel
T23c	1	Tread Front	6mm Cold Rolled Steel
T23d	1	Tread Middle Rib	6mm Cold Rolled Steel
T23e	1	Tread Rear	6mm Cold Rolled Steel
T23f	1	Tread Outside End	6mm Cold Rolled Steel
T23g	1	Tread Inside End	6mm Cold Rolled Steel
Tread #24			
T24	1		
T24a	1	Tread Top	6mm Cold Rolled Steel
T24b	1	Tread Bottom	6mm Cold Rolled Steel
T24c	1	Tread Front	6mm Cold Rolled Steel
T24d	1	Tread Middle Rib	6mm Cold Rolled Steel
T24e	1	Tread Rear	6mm Cold Rolled Steel
T24f	1	Tread Outside End	6mm Cold Rolled Steel
T24g	1	Tread Inside End	6mm Cold Rolled Steel

Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-05

(of 12 sheets)

Revision

D

Drawing Title

Steel Stair

Tread Subassembly

Date

8/2/23

Drawn By

RC

Page Size


A1

Drawings generated in SolidWorks® by Shoreline Parametrics

+44 (0)19 838006 (UK)

+01 (603) 651-0891 (US)

info@shorelineparametrics.com



OS2 Stringer Breakdown (See DWG Files)		
#	Roll Radius	Material
OS2a	R=7539	12mm Cold Rolled Steel
OS2b	R=2946	12mm Cold Rolled Steel
OS2c	R=1344	12mm Cold Rolled Steel
OS2d	R=2430	12mm Cold Rolled Steel
OS2e	R=3810	12mm Cold Rolled Steel
OS2f	R=2430	12mm Cold Rolled Steel
OS2g	R=1344	12mm Cold Rolled Steel
OS2h	R=2946	12mm Cold Rolled Steel
OS2i	R=7539	12mm Cold Rolled Steel
OS2j	R=90232	12mm Cold Rolled Steel

Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-06

(of 12 sheets)

Revision

Δ

D

Drawing Title

Part #OS2

Outside Stringer

Date

8/2/23

Drawn By

RC


Page Size

A1



Drawings generated in SolidWorks® by Shoreline Parametrics
+44 (0)179 838006 (UK)
+01 (603) 651-0891 (US)
info@shorelineparametrics.com

IS2 Stringer Breakdown (See DWG Files)		
#	Roll Radius	Material
IS2a	R=6182	12mm Cold Rolled Steel
IS2b	R=758	12mm Cold Rolled Steel
IS2c	R=815	12mm Cold Rolled Steel
IS2d	R=758	12mm Cold Rolled Steel
IS2e	R=6182	12mm Cold Rolled Steel
IS2f	R=19755	12mm Cold Rolled Steel
IS2g	R=515	12mm Cold Rolled Steel
IS2h	Flat	12mm Cold Rolled Steel



Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-07

(of 12 sheets)

Revision

D

Drawing Title

Part #IS2

Inside Stringer

Date

8/2/23

Drawn By



RC

Page Size

A1

QR Code

Drawings generated in SolidWorks® by Shoreline Parametrics
+44 (0)179 835006 (UK)
+01 (603) 651-0891 (US)
info@shorelineparametrics.com



Typical Stringer Section (Outside Stringer Shown)
Scale - 1:2

OS3 Outside Stringer Infill Breakdown (See DWG Files)			
#	Qty.	Material	Face Contour
OS3a	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
OS3b	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
OS3c	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
OS3d	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
OS3e	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
OS3f	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge

OS3 Flattened Outside Stringer Infill (Qty. Required - 2)
Scale - 1:10

Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-08

Revision

D

Drawing Title

Part #OS3

Outside Stringer Infill

Date

8/2/23


Drawn By

RC

Page Size

A1

Drawings generated in SolidWorks® by Shoreline Parametrics
+44 (0)179 835006 (UK)
+01 (603) 651-0891 (US)
info@shorelineparametrics.com




Typical Stringer Section (Inside Stringer Shown)
Scale - 1:2

IS3 Inside Stringer Infill Breakdown (See DWG Files)			
#	Qty.	Material	Face Contour
IS3a	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
IS3b	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
IS3c	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
IS3d	2	6mm Cold Rolled Steel	Hand Form Parallel to Stringer Edge
IS3e	2	6mm Cold Rolled Steel	Flat

IS3 Flattened Inside Stringer Infill (Qty. Required - 2)
Scale - 1:10

Drawings Issued For: Fabrication			
Project Name			
Project Scope			
Drawing Number 54265-09 (of 12 sheets)		Revision 1	
Drawing Title Part #IS3 Inside Stringer Infill			
Date 8/2/23	Drawn By RC	Page Size A1	A
 Drawings generated in SolidWorks® by Shoreline Parametrics +44 (0)19 838066 (UK) +01 (803) 651-0891 (US) info@shorelineparametrics.com			



Outside Glass Balustrade Breakdown (See DWG Files)			
#	Qty.	Inside Radius	Material
OGB1- (HOLD)	1	R=7517-	12.5mm Toughened & Laminated Low Iron Glass
OGB2	1	R=2924	12.5mm Toughened & Laminated Low Iron Glass
OGB3	2	R=1322	12.5mm Toughened & Laminated Low Iron Glass
OGB4	1	R=2408	12.5mm Toughened & Laminated Low Iron Glass
OGB5	1	R=3788	12.5mm Toughened & Laminated Low Iron Glass
OGB6	1	R=2408	12.5mm Toughened & Laminated Low Iron Glass
OGB8	1	R=2924	12.5mm Toughened & Laminated Low Iron Glass
OGB9	1	R=7517	12.5mm Toughened & Laminated Low Iron Glass
OGB10	1	R=90209	12.5mm Toughened & Laminated Low Iron Glass

Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-10

(of 12 sheets)

Revision

Drawing Title

Part #OGB

Outside Glass Balustrade

Date

8/2/23


Drawn By

RC

Page Size

A1

Drawings generated in SolidWorks by Shoreline Parametrics
+44 (0)179 839006 (UK)
+01 (603) 651-0891 (US)
info@shorelineparametrics.com



Inside Glass Balustrade Breakdown (See DWG Files)			
#	Qty.	Inside Radius	Material
IGB1 (HOLD)	4	R=6204	12.5mm Toughened & Laminated Low Iron Glass
IGB2	1	R=780	12.5mm Toughened & Laminated Low Iron Glass
IGB3	1	R=837	12.5mm Toughened & Laminated Low Iron Glass
IGB4	1	R=780	12.5mm Toughened & Laminated Low Iron Glass
IGB5	1	R=6204	12.5mm Toughened & Laminated Low Iron Glass
IGB6	1	R=19777	12.5mm Toughened & Laminated Low Iron Glass
IGB7	1	R=537	12.5mm Toughened & Laminated Low Iron Glass
IGB8	1	Flat	12.5mm Toughened & Laminated Low Iron Glass

Drawings Issued For:

Fabrication

Project Name

Project Scope

Drawing Number

54565-11

(of 12 sheets)

Revision

Δ

D

Drawing Title

Part #IGB

Inside Glass Balustrade

Date

8/2/23

Drawn By

RC

Page Size

A1

Drawings generated in SolidWorks® by Shoreline Parametrics
+44 (0)179 838006 (UK)
+01 (603) 651-0891 (US)
info@shorelineparametrics.com

